

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Lindenwold Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	8	15	0	0	8	15
AIDS-CD4 Only	#	#	#	#	18	33
HIV Only	#	#	#	#	28	52
-----	-----	---	-----	---	-----	---
Total	52	100	#	#	54	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	19	37	0	0	19	35
5-12	#	#	Black, Not Hispanic	#	#	#	#	32	59
13-19	#	#	Hispanic	#	#	#	#	#	#
20-29	6	11	Other/Unknown	#	#	#	#	#	#
30-39	18	33	-----	-----	---	-----	---	-----	---
40-49	19	35	Total	52	100	#	#	54	100
50+	9	17							
Unk.	0	0							
-----	-----	---							
Total	54	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	30	73	0	0	30	58
Injection drug user (IDU)	#	#	#	#	#	#
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	10	19
Risk not reported/other***	6	15	0	0	6	12
-----	-----	---	-----	---	-----	---
Total	41	100	11	100	52	100

	Pediatric Transmission Modes				Total	
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Lindenwold Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	18	(27)	14 (78)	0	(.)	0 (.)	18	(27)
Other OI w/o PCP	#	(#)	# (#)	0	(.)	0 (.)	#	(#)
KS Alone	#	(#)	# (#)	0	(.)	0 (.)	#	(#)
No Disease Listed	27	(40)	9 (35)	0	(.)	0 (.)	27	(40)
Total	67	(100)	41 (62)	0	(.)	0 (.)	67	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	36	54	0	.	36	54
5-12	0	0	Black, Not Hispanic	29	43	0	.	29	43
13-19	0	0	Hispanic	#	#	0	.	#	#
20-29	7	10	Other/Unknown	#	#	0	.	#	#
30-39	38	57	-----	-----	-----	-----	-----	-----	-----
40-49	17	25	Total	67	100	0	.	67	100
Over 49	5	7							
Unknown	0	0							
Total	67	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	43	73	0	0	43	64
Injection drug user (IDU)	5	8	6	75	11	16
MSM/IDU	6	10	0	0	6	9
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	#	#
Total	59	100	8	100	67	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Lindenwold Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1986	#	#	#
1987	#	#	#
1989	#	#	#
1990	5	5	100%
1991	6	6	100%
1992	6	6	100%
1993	#	#	#
1994	#	#	#
1995	#	#	#
1996	#	0	0%
1997	#	#	#
1998	#	#	#
1999	#	#	#
2000	9	#	#
2001	#	#	#
2002	#	#	#
2003	#	#	#
-----	-----	-----	-----
Total	67	41	61%